

The title "Clavicle Intramedullary Fracture System" is displayed in a large, bold, orange sans-serif font, centered on the right side of the page. The background features a large, light orange spiral graphic that curves around the text.

Clavicle Intramedullary Fracture System

Clavicle Intramedullary Pin

Material: Stainless Steel
Packing: 4/packet
Nonsterile



-
- 05.0412 4 x 120 mm
 - 05.4514 4,5 x 140 mm
 - 05.0516 5 x 160 mm
 - 05.6518 6,5 x 180 mm

Instruments



09.0240 Clavicle Intramedullary Fracture System Instrument Case (empty)

- 09.0238 T Handle Chuck
- 09.0251 Tap 4 mm x 150 mm x 30 mm
- 09.0252 Tap 4,5 mm x 150 mm x 30 mm
- 09.0253 Tap 5 mm x 150 mm x 45 mm
- 09.0254 Tap 6,5 mm x 150 mm x 45 mm
- 09.0239 Reposition Forceps Curved
- 09.0643 Tap T Handle
- 09.0247 Drill Bit With End to Fit Quick Coupling 2,0 mm
- 09.0602 Drill Bit With End to Fit Quick Coupling 2,5 mm
- 09.0249 Drill Bit With End to Fit Quick Coupling 3,0 mm
- 09.0250 Drill Bit With End to Fit Quick Coupling 3,5 mm
- 09.0613 Tap Handle
- 09.0255 Wrench With Open Hand 6 mm
- 09.0256 Wrench With Open Hand 8 mm
- 09.0257 T Handle Wrench 6 mm
- 09.0258 T Handle Wrench 8 mm
- 08.0603 Wire Cutter



09.0238 T Handle Chuck



- 09.0251 Tap 4 mm x 150 mm x 30 mm
- 09.0252 Tap 4,5 mm x 150 mm x 30 mm
- 09.0253 Tap 5 mm x 150 mm x 45 mm
- 09.0254 Tap 6,5 mm x 150 mm x 45 mm



09.0239 Reposition Forceps Curved



09.0643 Tap T Handle

Instruments



09.0247 Drill Bit With End to Fit Quick Coupling 2,0 mm

09.0602 Drill Bit With End to Fit Quick Coupling 2,5 mm

09.0249 Drill Bit With End to Fit Quick Coupling 3,0 mm

09.0250 Drill Bit With End to Fit Quick Coupling 3,5 mm



09.0613 Tap Handle



09.0255 Wrench With Open Hand 6 mm

09.0256 Wrench With Open Hand 8 mm



09.0257 T Handle Wrench 6 mm

09.0258 T Handle Wrench 8 mm



08.0603 Wire Cutter